

Sheldrake, Sean

From: Sheldrake, Sean
Sent: Thursday, December 05, 2013 6:19 AM
To: 'Peterson, Lance'
Subject: RE: Revised Fill WBZ Trench Investigation Work Plan

Thanks Lance. S

Sean Sheldrake, Unit Diving Officer, RPM
EPA Region 10, 1200 Sixth Ave., Suite 900
Seattle, WA 98101
206.553.1220 desk
206.225.6528 cell
<http://yosemite.epa.gov/r10/cleanup.nsf/sites/ptldharbor>
<http://www.epa.gov/region10/dive/>

Like us on Facebook! <https://www.facebook.com/EPADivers>

From: Peterson, Lance [<mailto:PetersonLE@cdmsmith.com>]
Sent: Thursday, December 05, 2013 4:15 AM
To: Sheldrake, Sean
Subject: FW: Revised Fill WBZ Trench Investigation Work Plan

Sean, CDM reviewed the revised Fill WBZ trench investigation work plan against the EPA comments provided to NW Natural in DEQ's comment submittal from 8/23/13. The comments were responded to adequately. Below is a message you can consider sending to Dana.

Lance

Hi Dana,

EPA has reviewed NW Natural's November 2013 revised Fill WBZ Trench Investigation Work Plan. The document adequately addresses EPA comments on the June 2013 version of the document.

Thank you.

S

From: BAYUK Dana [<mailto:BAYUK.Dana@deq.state.or.us>]
Sent: Tuesday, November 19, 2013 7:59 AM
To: 'Sheldrake, Sean'
Cc: Peterson, Lance; Coffey, Scott; GAINER Tom; LARSEN Henning
Subject: FW: Revised Fill WBZ Trench Investigation Work Plan

Good morning Sean.

I was out yesterday under the weather and am just going through e-mails. The e-mail below provides a link to the Anchor FTP site for purposes of downloading the revised Fill WBZ trench investigation work plan.

Hope your day goes well.

Dana

Mr. Dana Bayuk, Project Manager
Cleanup & Portland Harbor Section
Oregon Department of Environmental Quality
2020 SW 4th Avenue, Suite 400
Portland, OR 97201
E-mail: bayuk.dana@deq.state.or.us
Phone: 503-229-5543
FAX: 503-229-6899

Please visit our website at <http://www.oregon.gov/DEQ/>



please consider the environment before printing this email

From: Carl Stivers [<mailto:cstivers@anchoragea.com>]
Sent: Monday, November 18, 2013 2:25 PM
To: BAYUK Dana
Cc: John Edwards; Bob Wyatt; Patty Dost; John Verduin; Jeff Warren; John Renda; James Peale (jpeale@maulfoster.com); myron.burr@silttronic.com; Rana Wilson; Ben Hung
Subject: Revised Fill WBZ Trench Investigation Work Plan

Hello Dana.

The revised Fill WBZ Investigation Work Plan has been uploaded to the FTP site described below. Paper copies and CDs of this work plan will arrive at DEQ soon. Please acknowledge receipt of this submittal.

Thanks.

Carl

To access the **FTP site automatically** using Windows Explorer please follow the steps below:

- From *Windows XP* desktop select Start -> Run or for *Windows 7* select Start -> and click in the search box.
- Copy/Paste the following line into the "Open" box for XP or the "Search" box for Windows 7 and hit "enter:"
[%systemroot%/explorer ftp://Gasco_Document_Reviewers%40000029-02.26:Upland01@ftp.anchoragea.com/](ftp://Gasco_Document_Reviewers%40000029-02.26:Upland01@ftp.anchoragea.com/)
- You should now be logged into the site using Windows Explorer. You can use copy/paste to move files to or from the site.

To access the **FTP site via web browser** please follow the steps below:

- Click on the following link <https://ftp.anchoragea.com/aq>
- Input the following username and password:
Username (b) (6)
Password: [REDACTED]
- Use the tools available directly to the site to download or upload.

Carl Stivers

ANCHOR QEA, LLC
cstivers@anchoragea.com
23 S. Wenatchee Ave, Suite 120
Wenatchee, WA 98801
Phone: 509.888.2070
Fax: 509.888.2211

ANCHOR QEA, LLC
www.anchorqea.com

Please consider the environment before printing this email.

This electronic message transmission contains information that may be confidential and/or privileged work product prepared in anticipation of litigation. The information is intended for the use of the individual or entity named above. If you are not the intended recipient, please be aware that any disclosure, copying distribution or use of the contents of this information is prohibited. If you have received this electronic transmission in error, please notify us by telephone at (206) 287-9130.